

Wenn unter / if under

```
sudo gedit /usr/share/X11/xkb/symbols/ir
```

am Anfang des letzten Files steht / at the file's beginning is written

```
partial alphanumeric_keys
```

```
xkb_symbols "ave"
```

dann muss im dconf-editor unter / then there must be written in the dconf-editor under

```
org.gnome.desktop.input-sources
```

```
sources
```

```
[('xkb', 'de'), ('xkb', 'ir+ave'), ('xkb', 'de+avestantranscript'), ('xkb', 'in+tam'), ('xkb', 'in'), ('xkb', 'gr+extended'), ('xkb', 'es'), ('xkb', 'tr'), ('xkb', 'in+urd-phonetic3'), ('xkb', 'iq+ku_ara')]
```




und unter / and under

```
org.gnome.libgnomekbd.keyboard
```

```
layouts
```

```
['de', 'ir+tave', 'de\tavestantranscript', 'in\ttam']
```



stehen.

Wenn unter / if under

`sudo gedit /usr/share/X11/xkb/symbols/ir`

am Anfang des letzten Files steht / at the file's beginning is written


partial alphanumeric_keys
 xkb_symbols "**avestan**"

dann muss im dconf-editor unter/ then there must be written in the dconf-editor under

`org.gnome.desktop.input-sources`

sources

[('xkb', 'de'), ('xkb', 'ir+**avestan**'), ('xkb', 'de+avestantranscript'), ('xkb', 'in+tam'), ('xkb', 'in'), ('xkb', 'gr+extended'), ('xkb', 'es'), ('xkb', 'tr'), ('xkb', 'in+urd-phonetic3'), ('xkb', 'iq+ku_ara')]



und unter, falls vorhanden / and under if available

org.gnome.libgnomekbd.keyboard

layouts

['de', 'ir\tavestan', 'de\tavestantranscript', 'in\ttam']

stehen.